





DOOR / FRAME AND HARDWARE LEGEND							
CODE	HARDWARE DETAILS	IMAGE	MANUFACTURER	PRODUCT CODE	FINISH	REV	
DOOR TYPES							
SSC	Flush panel semi-solid core, internal door to comply with AS 2688 with 4mm min. veneer ply faces (or MDF face for paint finish). Edge strips to be 13 mm thick for square edged and bull nosed doors and 26mm thick for rebated stiles. Doors to be glued with grade "C" glue lines. Paint finished doors to be primed on all faces and edges.						
SC1	Flush Panel solid core internal door - To comply with AS.2688, blockboard core with 4mm min. veneer ply faces (or MDF face for paint finish). Edge strips to be 13 mm thick for square edged and bull nosed doors and 26mm thick for rebated stiles. Doors to be glued with grade "C" glue lines. Paint finished doors to be primed on all faces and edges.						
SC1A	Not used						
SC1B	Flush Panel solid core internal door with rebate to head only - To comply with AS.2688, blockboard core with 4mm min. veneer ply faces (or MDF face for paint finish). Edge strips to be 13 mm thick for square edged and bull nosed doors and 26mm thick for rebated stiles. Doors to be glued with grade "C" glue lines. Paint finished doors to be primed on all faces and edges.						
SC2	Flush Panel solid core external door with waterproof ply, faces and glue lines to both ply. and core.-To comply with AS.2688. Edge strips to be 13 mm thick for square edged and bull nosed doors and 26mm thick for rebated stiles. Doors to be glued with grade "C" glue lines. Paint finished doors to be primed on all faces and edges.						
FR1	Not used						
FR2	2-hour fire rated door assembly						
FR4	4-hour fire rated door assembly						
GF1	Frameless toughened safety glass door assembly						
GF2	Frameless toughened safety glass pivot door with top and bottom rails						
GF3	Not used						
AL1	Aluminium framed glass door - refer detail 07/A07.25						
AL2	Aluminium framed door with glass infill. Refer to detail 06 /A07.25						
AL3	Aluminium framed door with glass infill. Refer A07 series façade drawings						
FGS	Marine grade stainless steel framed glass door						
OWG	Not used						
OW	Not used						
RSH	Not used						
RG	AGP Diamond Series revolving door. Refer to appendix for specification.						
GUD2	Glide up door. Motorised fold up bifold door with proprietary aluminium louvre cladding. Refer to Fixtures & Fittings Schedule A16.01.						
CWD	Fold up door. Refer to 'Garage Door' in Fixtures & Fittings Schedule A16.01.						
DGU	FS1 double glazed unit. Refer to façade package.						
BMU	Custom louvre clad BMU garage door.						
GATE	Chain mesh gate with tubular metal frame. Black PVC coated finish						
LVD	Aluminium louvred doors incorporated in louvred wall. Refer façade systems schedule. Manufacturer's detailed shop drawings to be approved by architect.						
CS	Cavity sliding steel framed door						

FINISHES							
PAH	Not used						
PAS	Semi-gloss acrylic						
PSF	Not used						
PUR	Not used						
PLM	Not used						
TV	Not used						
T	Not used						
PC	Powdercoat finish to both sides of door						
SS	Not used						
MT01	Natural Anodised						
MT02	Not used						
MT03	Not used						
REM	Not used						
MIR	Not used						
MIR-A	Not used						
F	Not used						
PB	Not used						
PSS	Polished stainless steel						
PCP	Not used						
SSS	Satin stainless Steel						
SCP	Not used						
ST	Stone Cladding						
BCP	Not used						
PVC	PVC finish over chain mesh gate						
VIEWING PANELS							
VP1	Not used						
VP2	Not used						
VP3	Not used						
VP4	Not used						
VP5	Not used						
VP6	Not used						
VP7	Viewing Panel 1100mm(H) x 120mm(W) high security bullet proof laminated safety glass						
Door Grilles							
DG1	Not used						
DG2	Aluminium Door Grille (Powder coat finish) 600x 300						
DG3	Not used						
DG4	Not used						
DG5	Not used						
DG6	Not used						
UC	Undercut 25mm						

MEETING STILES							
RMS	Rebated Meeting Stiles. 13mm wide rebate at the centre line of the door. Prepare profile to accept seals where seals are scheduled.						
ALT	Aluminium "T". 30x 30x3mm aluminium "T" housed into square edge of the external face as an overlapping astragal. Silver anodised finish.						
TBAR	T bar Astragal. Special fire equipment by "Pyropanel" or "Tyco". Supplied by fire door contractor. Silver anodised finish.						
FRAME TYPES & MATERIALS							
TM1	Timber frame, concealed moisture resistant frame. Services Cupboards						
TM2	Not used						
TM3	Not used						
TM4	Not used						
PM1	Pressed metal, single rebate						
PM2	Pressed metal, double rebate						
PM3	Pressed metal, no rebate						
PM5	Not used						
FR1	Not used						
FR2	2-hour Fire rated pressed metal						
FR4	4-hour Fire rated pressed metal						
AL1	Extruded aluminium - refer detail						
AL2	Extruded aluminium - refer detail. To suit FS2 doors to Watsons Place and Flinders Lanet. Refer to detail 06 on A07.25.						
AL3	Extruded aluminium - refer detail. To suit stair 01 door to Atrium. Refer to detail drg A07-32						
CF1	Not used						
CF2	Not used						
CF3	Custom Frame 3 - refer Details 01 & 02 A12.54						
CSF	Custom Steel Frame. Refer to A12.54 for details						
HINGES							
P1	Pivot Set - for use in Disabled WC doors and in conjunction with a flush frame. Door to be controlled by C1 type door closer. M1 spring loaded frame stop to deter door from swinging in opposite direction. For correct installation procedure, please contact DORMA Door Controls in your state for further advice.			DORMA	8560G Floor pivot, 7421 Door strap, 7461 Top pivot upper, 7463B Top pivot lower and 8064SSS Top pivot cover plate.		
H1	100 x 100 x 2.5mm Ball bearing fixed pin stainless steel hinge. Finish to match door furniture.						
H1A	Not used						
H2	100 x 75 x 2.5mm Ball bearing fixed pin stainless steel hinge. Finish to match door furniture.						
H3	100 x 125 x 2.5mm Ball bearing fixed pin stainless steel hinge. PSS finish.						8
H4	Not used						

	H5	Not used					
	H6	H/Duty fast fix aluminium hinge t/s 40mm thick door. Finish to match door furniture.		McCallum	A105 SNA		
	H7	Lift Off Hinge. Finish to match door furniture. 10070 Lift off butt hinges		GAINSBOROUGH			
	H8	Not used					
	H9	Soss hinge					
	H10	Not used					
	H11	Concealed joinery Hinge. Joiner to allow for suitable number of hinges.					
	H12	Continuous hinge fixed to façade mullion and structural steel stiffener. Refer to detail 06 on A07.25.					
	H13	Hinge to suit louvre doors to roof - BMU zone - where noted.					
LOCKS							
Note: Asterisk denotes that handing will be required.							
Vestibule Function Mortice Locks							
	L1	Storeroom Lock - Latchbolt operated by inside handle at all times for immediate exit. Key outside retracts latchbolt. Outside handle always rigid. Latchbolt automatically deadlatches when door is closed.		DORMA	ST9602M*		
	L2	Classroom Lock - Latchbolt operated by handle either side unless outside is made inoperative by key from outside. Inside handle always free for immediate exit.		DORMA	ST9602D*		
	L3	Office Lock - Latchbolt operated by handles unless outside handle has been made inoperative by key or inside turn. Unlocking by key or turn. Inside handle always free for immediate exit. Anti-Lockout as standard		DORMA	ST9602VT*		
	L4	Entrance Lock - Latchbolt operated by handles except when outside handle has been made inoperative by inside turn. Cylinder retracts latchbolt. Inside handle always free to escape. Latchbolt automatically deadlatches when door is closed.		DORMA	ST9602MT*		
	L5	Not used					
	L6	Privacy Latch - Latchbolt operated by handle from either side unless outside is locked by inside turn. Inside handle always free to escape. Emergency unlocking from outside by slotted emergency turn button (with coin, screwdriver etc). Has antilockout as standard.		DORMA	ST9602PT*		
	L7	Escape Lock - Latchbolt operated by key from outside and by handle from inside which is always free for immediate exit. Latchbolt automatically deadlatches when door is closed.		DORMA	ST9602M*		
	L8	Not used					
	L9	Not used					
	L10	Anti Vandal Exit Door Latch - Latchbolt retracted by inside handle only. Inside handle always free for immediate exit. No external handle.		DORMA	ST9602*		
Combination Function Mortice Locks							
	L11	Passage Latch - For doors not requiring locking. Both handles always free. Either will retract latchbolt		DORMA	ST9604		

	L12	Not used					
	L13	Not used					
	L14	Not used					
	L15	Not used					
Nightlatch Function Mortise Locks							
	L16	Not used					
	L17	Cylinder & Turn Nightlatch - Latchbolt operated by either key outside or turn inside, latchbolt automatically deadlatches when door is closed.		DORMA	ST9600MT*		
Deadbolt Function Mortise Locks							
	L18	Not used					
	L19	Not used					
	L20	Cylinder & Turn Deadbolt - Bolt is locked or unlocked by either key outside or turn inside.		DORMA	ST9601VT*		
Sliding Door Deadbolt Function Mortise Locks							
	L21	Not used		DORMA	ST9603B*		
	L22	Double Cylinder Sliding Deadbolt - Bolt is locked or unlocked by key from either side.		DORMA	ST9603BB*		
	L23	Cylinder & Turnsnob Sliding Deadbolt - Bolt is locked or unlocked by either key outside or turnsnob inside.		DORMA	ST9603VT*		
	L24	Not used					
	L25	Not used					
	L26	Not used					
Narrow Backset Function Mortise Locks							
	L27	Not used					
	L28	Not used					







	L29	Double Cylinder Entry Lock narrow stile- Latchbolt operated by handle either side,unless both handles are locked by key from either side. Key from either side unlocks both sides.		LOCKWOOD	3584ZZ		
	L30	Not used					
	L31	Not used					
Electric Locks							
	L32	Electric Mortice lock - Monitored or similar approved. Failsafe power to lock.		LOCKWOOD	3572AM*-		
	L33	Not used					
	L34	Electric mortice lock for 12mm toughened glass door		Assa Abloy Eff-Eff	914U /934U		
Miscellaneous Locks							
	L35	Not used					
	L36	Not used					
	L37	Not used					
	L38	Roller bolt with adjustable latch		HAFELE	911.24.010		
	L39	Magnetic catch					
	L40	Not used					
	L41	Not used					
	L42	Not used					
CYLINDERS							
	LC1	Bi-lock or other approved to suit client requirements.Provide extended cylinders where required to suit.					

FURNITURE


Door Furniture - 53mm Round Rose











F1	Ext Blank Rose 316G		DORMA	5303		
F2	Oval cylinder escutcheon, 316g solid stainless steel		DORMA	5306		
F3	Turn Snib SSS 316G Solid Stainless Steel		DORMA	5307		
F4	Indicating Emergency Release 316G Solid Stainless Steel		DORMA	5309		
F5	Disabled Turn Snib 316G Solid Stainless Steel		DORMA	5310		
F6	5300-37 Torquay Lever on Rose Set 316G (Note 1x F6 code is for lever to both sides of leaf therefore only 1 F6 code indicated on one side in Schedule (to avoid double ordering for each leaf)).		DORMA	5300-37		
F6A	5301-37 / 5303 Torquay Lever half set including blank Rose		DORMA	5301-37		

Door Furniture - Square End Plate


F7	Ext Torquay Lever on Plate Cyl Hole 316G Solid Stainless Steel		DORMA	6600-37		
F8	Not used					
F9	Not used					
F10	Ext Torquay Lever on Plate Indicating Emergency Release 316G Solid Stainless Steel		DORMA	6609-37		
F11	Not used					
F12	Int Torquay Lever on Plate Turn Snib 316G Solid Stainless Steel		DORMA	6603-37		
F13	Int Torquay Lever on Plain Plate 316G Solid Stainless Steel		DORMA	6606-37		
F14	Int Torquay Lever on Plate Disabled Turn Snib 316G Solid Stainless Steel		DORMA	6607-37		
F15	Custom made Pull Handle nom. 600mm x 32mm (refer to architectural dwg A12.60 for details). Black powdercoat finish. Allow for fixing to solid core door.					
F16	Not used					



	F16A	Custom made Pull Handle 600mm x 32mm squ.similar to Barben Industries BAH-155/J (refer to architectural dwg A12.60 for details). Polished Stainless Steel finish. Allow for fixing through glass door.					
	F16B	Custom made Pull Handle 600mm x 32mm squ.similar to Barben Industries BAH-155/J (refer to architectural dwg A12.60 for details). Polished Stainless Steel finish with leather strapping. Allow for fixing through glass door.					
	F16C	Custom made Pull Handle 600mm x 32mm squ.similar to Barben Industries BAH-155/J (refer to architectural dwg A12.60 for details). Polished Stainless Steel finish with leather strapping. Allow for fixing to steel frame of door.					
	F17	150mm x 75mm x 15mm Flush Pull		MADINOZ	FP160		
	F18	Barben Cabinet Lip Pull. Polished Stainless Steel finish .Door Pull to Service Cupboards. Barben E423 Length = 300mm		BARBEN INDUSTRIES	BAC-BL1/C		
	F19	Push Pull Set with key escutcheon		LOCKWOOD	21607NN/21724NN-18 C/F		
	F19A	Push Pull Set without key escutcheon		LOCKWOOD	AS PER F19 - NO ESCUTCHEON		
	F20	Barben recessed cabinet pull. Black powercoat finish.		BARBEN INDUSTRIES	BAC-RP160		8
	F21A	635mm x 25mm Barben Pull Handle. Allow for fixing through glass door.		BARBEN INDUSTRIES	BAH-166/C		
	F21B	635mm x 25mm Barben Pull Handle. Allow for fixing to steel frame of door.		BARBEN INDUSTRIES	BAH-166/C		
	F21C	635mm x 25mm Barben Pull Handle. Allow for fixing to solid core door		BARBEN INDUSTRIES	BAH-166/C		
	F22	Custom push plate with concealed fixings.					
DOOR CLOSERS							
	C1	Contur Cam Action door closer with GN channel (pull side fix), inbuilt delayed action and backcheck. Finish to match door furniture.		DORMA	TS93B EN1-5		
	C1A	Not used					
	C1B	Not used					
	C2	Not used					
	C2A	Not used					

	C2B	Not used					
	C3	Contur Cam Action door closer with GN channel (pull side fix), two stage speed control.Finish to match door furniture.		DORMA	TS92B EN2-4		
	C3A	Contur Cam Action door closer with GN channel (pull side fix), two stage speed control with hold open unit.Finish to match door furniture.		DORMA	TS92B EN2-4 & #18570000		
	C3B	Contur Cam Action door closer with GN channel (pull side fix), two stage speed control with cushioned limit stay.Finish to match door furniture.		DORMA	TS92B EN2-4 & #35800093		
	C4	Not used					
	C4A	Not used					
	C4B	Contur Cam Action door closer with GN channel (push side fix), two stage speed control and angle bracket t/s GN channel with cushioned limit stay.Finish to match door furniture.		DORMA	TS92G EN2-4 & #35800093		
	C5	Contur Cam Action double door closer with inbuilt sequencing (pull side fix), delayed action and backcheck.Finish to match door furniture.		DORMA	TS93 GSR EN1-5		
	C6	Contur Cam Action double door closer with inbuilt sequencing (push side fix), delayed action and backcheck & angle bracket.Finish to match door furniture.		DORMA	TS93 GSR-B/G EN1-5		
	C7	Rack and Pinion door closer complete with backcheck and delayed action, PA arm bracket.Finish to match door furniture.		DORMA	TS73V EN1-4		
	C8	Rack and Pinion door closer complete with backcheck and delayed action, PA arm bracket.Finish to match door furniture.		DORMA	TS83 EN3-6		
	C9	Not used		DORMA	CD80		
	C10	Automatic Swing Door Operator - Complete with appropriate Arm Assembly, IRS-2-70 Safety Sensors, Actuation by Card Reader, Push Button and/or Motion Sensor. Mode Switch & Options Board to suit where necessary. Note:- that a final site inspection must be undertaken by DORMA to determine requirements prior to ordering.Finish to match door furniture. C/W 85606 BTM PIVOT, COS41 BTM RAIL, COS43 TOP RAIL, 8066U TOP PIVOT, 8064 SSS COVER		DORMA	ED200		

C10A	Automatic Swing Door Operator - Complete with appropriate Arm Assembly, IRS-2-70 Safety Sensors, Actuation by Card Reader, Push Button and/or Motion Sensor. Mode Switch & Options Board to suit where necessary. Note:- that a final site inspection must be undertaken by DORMA to determine requirements prior to ordering. Finish to match door furniture. C/W 85606 BTM PIVOT, COS41 BTM RAIL, COS43 TOP RAIL, 8066U TOP PIVOT, 8064 SSS COVER				DORMA	ED200		
C11	Not used				DORMA	TS72 EN2-4		
C12	BTS80 EN6 Floor Spring w/- 3 deg offset spindle, 7410 SSS Cover Plate, CDS44 Bottom Rail w/- Lock & Cylinder, CDS Top Rail, 8066U Top Pivot Upper Portion, 8064 PSS Cover Plate, 2300 Sealing Compound-Glazed door.				DORMA			
C12A	BTS80 EN6 Floor Spring w/- 3 deg offset spindle, 7410 SSS Cover Plate, CDS44 Bottom Rail w/- Lock & Cylinder, CDS44 Top Rail, 8066U Top Pivot Upper Portion, 8064 PSS Cover Plate, 2300 Sealing Compound-Glazed door. Allow for floor spring to be recessed and an extended spindle.				DORMA			
C12B	BTS80 EN6 Floor Spring w/- 3 deg offset spindle, 7410 SSS Cover Plate, CDS44 Bottom Rail w/- Lock & Cylinder, 8066U Top Pivot Upper Portion, 2300 Sealing Compound-Glazed door. Allow for floor spring to be recessed and an extended spindle.				DORMA			
C13	Not used				DORMA			
C13A	BTS80 EN6 Floor Spring w/- 3 deg offset spindle, 7410 SSS Cover Plate, CDS44 Bottom Rail w/- Lock & Cylinder, CD52 Top Patch, 8066U Top Pivot Upper Portion, 8064 PSS Cover Plate, 2300 Sealing Compound-Glazed door. Allow for floor springs to be recessed and an extended spindle.				DORMA			
C13B	BTS80 EN6 FLOOR SPRING W/3DEG OFFSET SPINDLE, 7410 SSS COVER PLATE, CDS43 L/R OFFSET TOP RAIL, CDS 41 L/R OFFSET BTM RAIL, 2300 SEALING COMPOUND.				DORMA			
C13C	As C13B EXCEPT CDS 41 BTM RAIL AND CDS 43 TOP RAIL				DORMA			
C14	BTS75V EN1-4 Floor Spring w/- 3 deg offset spindle, 7510 SSS Cover Plate, 7421 Timber Door Strap, 8066 Adj Top Centre, 8064 PSS Cover Plate, 2300 Sealing Compound-Timber door				DORMA			
C15	Not used				DORMA			
C16	Not used				DORMA			
C17	Not used				DORMA	ITS96 EN 2-4		
C18	Not used				DORMA	ITS96 EN 2-4 with RF Hold open		

	C19	Not used		DORMA	ITS96 EN 2-4 with G95EMF hold open		
	C20	Not used		DORMA	ITS96 EN 3-6		
	C21	Not used		DORMA	ITS96 EN 3-6 with RF Hold open		
	C22	Not used		DORMA	ITS96 EN 3-6 with G95EMF hold open		
	C23	AS FOR C1 EXCEPT EN5-7		DORMA	TS 93B EN5-7		
SEQUENCE SELELCTOR							
	SQ1	Double Door sequence selector		Lockwood (or equiv)	A3000/180		
	SQ2	Not used					
	SQ3	Not used					

BOLTS						
B1	FB01.150 Flush Bolt to Bottom of Inactive Leaf, FB01.300 Flush Bolt to Top of Inactive Leaf. Finish to match door furniture.		SCOPE			
B2	FB01.150 Flush Bolt to Bottom face of inactive leaf, FB01.600 Flush Bolt to Top rebated edge of Inactive Leaf		SCOPE			
B3	SB01-600mm Panic Bolt to Top of Inactive Leaf & SB01-300mm Panic Bolt to Bottom of Inactive Leaf. Finish to match door furniture.		SCOPE			
B4	940 Auto Flush Bolt to both Top & Bottom of Inactive leaf. Finish to match door furniture.		SABRE			
B5	Not used					
B6	Not used					
B7	B1 type (subject to final approval) finish to match Business Centre door frame finish					
DOOR SEALS						
S1	Raven RP78SI Full Perimeter Smoke Seal Set & RP8SI to suit door width		RAVEN			
S2	Not used					
S3	Not used					
S4	Raven RP79 frameless glass doors					
S5	Pivot door brush seals to aluminium framed door					
S6	Raven RP79 & RP2B frameless glass doors					
S7	Not used					
S8	Not used					
S9	Raven RP120 Smoke Seal Set, RP16SI, 2/RP38SI Auto Bottom Seal					
S9A	Raven RP12 Sliding door seal to head and jambs. RP brush seal to Bottom					
S10	Not used					
S11	Not used					
S12	Lorient batwing seal type IS1212 2/Lorient IS8010 spring activated drop seal					
S13	Not used					
S14	Not used					
S15	Not used					
S16	Not used					
S17	Raven RP10 door frame seal. Raven RP8 Si concealed acoustic automatic door bottom seal. Raven RP98 threshold plate.					
S18	Raven RP71Si door frame seal to full perimeter incl btm					

SECURITY							
PTD	Lockwood L8810 Power Transfer Device						
RS	Door monitor (reed switch) - Double doors to have a reed switch to active leaf only.						
ES	Padde ES2000 Electric Strike						
CR	Card Reader - refer Security Services specification						
ED1	Exit device push button						
ED2	Exit device break glass						
ED3	Not used						
EHO	Not used						
MHO	Magnetic hold open						
ML	Electric Mortice Lock - refer lock column for type						
EML	Padde EML6 Single Door Mag Lock complete with L/Z fixing bracket						
EML2	Padde EML10 Double Door Mag Lock complete with L/Z fixing bracket						
EDB1	Not used						
KP	Not used						
DOOR STOPS							
DS1	Floor mounted door stop 40mm diam x 40mm high Polished stainless steel finish.			BELLEVUE IMPORTS	BD40		
DS2	Floor mounted door stop 30mm diam x 30mm high Marine grade stainless steel finish.			BELLEVUE IMPORTS	BD30		
DS3	Half Moon Door Stop Floor Mount SC			DORMA	CD1280		
DS4	250 Type Floor Mount Door Stop SC						
DS5	Not used						
DS6	Wall Mount Door Stop				A350		
DS7	Kaba DS884 door holder.				DS884		
DOOR PROTECTION							
DP1	REM-01 Vinyl to match floor type to 1200mm AFFL with continuous protective metal angle / trim to top						
DP2	Checker plate to 1200mm AFFL. Checker plate type subject to approval.						
KP1	Not used						
KP2	Stainless steel kickplate 300 high glued to face of door (both sides of door) *Note, kickplate & seal widths to be checked on site						
KP3	Not used						
KP4	Linished s/s/kick plate 300H glued to push side of door face only						
KP5	Not used						

COAT HOOKS						
CH01	Robe Hook with Rubber Bumper. Finish: Polished Chrome. Size 77mm long x 16mm dia.		Access Hardware	MDZ CH95 PC		
CH02	Robe Hook/doorstop with escutcheon plate. Finish: Polished SS. Size 16mm x 90mm long, escutcheon 50mm dia.		Nova Hardware	35-0301		
CH03	Robe Hook 'Strap', Polished SS. Size 60mm x 40mm.		Rogerseller	403162		
CH04	Coat hook - single coat hook SSS		Bellevue Imports	KU 10		
MISCELLANEOUS						
M1	Emergency Frame Stop		DORMA	#1000003		
M2	Security Door View-glass Lens		LOCKWOOD	160CPDP		
M3	Security Chain, concealed fixed		HAFELE	911.62.X25		
M4	Lock Box welded to Gate (Confirm whether Hinged or Sliding)		ADI	570		
M5	Sliding Door Track		FITZROY MARSHALL	A500		
M6	Sliding Door Track		FITZROY MARSHALL	A100		
GFA-general fire alarm			Method of activation on GFA Note: All doors required to be power door operators active on GFA. Must be provided with battery back up or noted otherwise.			
GFA1	Via security system interface with FIP					
GFA2	Direct wired to FIP					
GFA3	Electric strike release via break glass unit					